



HALO  
Aquashield™:  
The Integrated  
Window Flashing  
System



# Unmatched Protection Against Water Ingress

Severe weather conditions put your home at risk, with wind-driven rain targeting the most vulnerable points: your window openings. The HALO Aquashield™ provides a superior barrier, ensuring complete protection against air and moisture infiltration.

## Tested and Proven Performance

HALO Aquashield™ has been tested in accordance with NCC2022 Vol 2, Part H2V1 Weatherproofing.

Surpassed 540Pa static and 540Pa-1080Pa cyclic water pressure testing.

These exceptional results reinforce HALO's superior weatherproofing capabilities, setting a new benchmark for window flashing systems in lightweight construction.





# Why Choose HALO Aquashield™?

## Proven Superior Performance

- Exceeds traditional flashing methods in water penetration resistance.

## Energy Efficiency

- Enhances airtightness for a more comfortable and energy efficient home.

## Compliance & Quality

- Fully compliant with the NCC and tested in NATA accredited laboratories.

## Effortless Installation

- Pre-fitted design streamlines the building process, cutting installation time by up to 40%.

## Australia's Only Integrated Flashing System for Lightweight Clad Construction

HALO Aquashield™ seamlessly integrates with lightweight cladding systems, forming an impermeable seal around window and door frames. Pre-fitted at our factory, it simplifies installation, significantly reducing on-site labour costs.

## Exclusive to Wideline Horizon and Ascend25 Ranges

Take advantage of the latest innovation in window flashing technology. HALO Aquashield™ provides peace of mind with unmatched protection and effortless installation.

**Visit our website to learn more and see why builders trust HALO for superior weatherproofing solutions.**



Halo Aquashield™ is a patented, innovative solution, designed to meet the requirements of modern building systems. It has been tested by NATA accredited testing laboratories and proven to provide higher water penetration resistance than traditional methods.

Halo Aquashield™ is fully compliant with the weatherproofing requirements of the Building Code of Australia and relevant Australian Standards.

All products shown in this catalogue are representative of what can be achieved and are subject to individual finishes and installation techniques. Wideline Pty Ltd reserves the right to modify sizes and details without notice.



WIDELINE PTY LTD | ABN 11 000 945 068

For more information call | 1300 943 354

Or visit | [wideline.com.au](http://wideline.com.au)

March 2025

